

Student Affairs

The University Health Center University Health Center University of Georgia UNIVERSITY OF GEORGIA Athens, GA 30602-1755 706-542-8617 Health Information 706-542-4959 Fax

Name:	
UGA ID#: 81	
Date of Birth:	
Phone:	

CERTIFICATE OF IMMUNIZATION (REQUIRED PRIOR TO REGISTERING FOR CLASSES)

(Ok to attach GRITS or other certified immunization record)

REQUIRED IMMUNIZATIONS	REQUIREMENT (MM/DD/YYYY)	REQUIRED FOR:	
MMR	#1 / /	 All foreign-born students regardless of year born US/Canadian students born in 1957 or later 	
(Measles, Mumps, Rubella)	#2 / /	$11 ext{ 057 calladian students born in 1957 of later }$	
	" ²)	1 2 nd dose administered no earlier than 28 days after 1 st	
OR	OR	dose	
Measles (Rubeola) AND Mumps AND Rubella (German Measles)	#1/#2/_/ OR Attached antibody titer (blood test) lab report #1/#2/ OR Attached antibody titer (blood test) lab report #1/ OR Attached antibody titer (blood test) lab report #1/ OR Attached antibody titer (blood test) lab report	 US/Canadian students born in 1957 or later If antibody titer does not indicate immunity, injection series required. 1st due at 12 months of age or older 2nd dose administered no earlier than 28 days after 1st dose 	
Varicella (Chicken Pox)	<pre>#1/#2/ OR Attached antibody titer (blood test) lab report OR Definitive diagnosis of varicella by healthcare provider. Provide statement from provider verifying previous infection.</pre>	 <u>SELF/PARENTAL REPORTED HISTORY OF DISEASE</u> <u>NOT ACCEPTED</u> All foreign-born students regardless of year born. US/Canadian born students born during or after 1980. 1st due at 12 months of age or older 2nd dose administered no earlier than 28 days after 1st dose If antibody titer does not indicate immunity, injection 	
Tetanus, Diphtheria, Pertussis	Tdap// (REQUIRED)	• One dose of Tdap for all students within past 10 years.	
(Tdap)	If unable at home country, obtain at UGA		
Hepatitis B	#1/ #2/ #3// OR Attached antibody titer (blood test) lab	 All Students who will be 18 or younger on the first day of class. If antibody titer does not indicate immunity, injection series required. You <u>must</u> submit the antibody titer report on lab letterhead from a certified lab with definitive lab values in English. 	
Tuberculosis (TB)	All students MUST complete the Tuberculosis Screening Questionnaire found on <u>healthcenter.uga.edu/info/forms</u>	 If the answer to any of the TB screening questions is YES, then must complete the TB Clinical Risk Assessment Part II of Form, including TST or IGRA by physician. 	
Meningococcal Vaccine ACWY(MCV4) (Strongly Recommended for all students <22)	#1/ #2// Menactra or Menveo (Please circle one)	 All newly admitted UGA students living in Campus Housing, or Sorority or Fraternity Houses. NOTE: A student may sign a statement of understanding in lieu of providing proof of immunization. Review meningitis disease information at: healthcenter.uga.edu/healthtopics/meningitis 	
Recommended Vaccines:			
Meningitis B Vaccine: #1#2_/ _/#3/ _/(Bexsero/Trumenba) please circle Meningitis B Vaccine: #1#2_/ _/#3/ _/(Bexsero/Trumenba) please circle			
Hepatitis A: #1/#2/HPV: #1/ /#2/#3/ #3/ / Influenza://COVID: #1/#2// #3// #3/(Pfizer/Moderna/J&J) Please circle			
Request for Religious Exemption: I affirm that the immunizations required by the University System of Georgia, are in conflict with my religious beliefs I understand I am subject to exclusion in the event of an outbreak of disease which immunization is required. (Attach Notarized Affidavit-no older than 6 months signed by student)			
REQUIRED SIGNATURE OF PHYSICIAN OR HEALTH FACILITY:			
NameAc	ldressPho	ne Number	
Signature			
Revised: 6/17; 5/19; 11/2023			



UNIVERSITY HEALTH CENTER University of Georgia Athens, GA 30602-1755 Phone: 706-542-1162 Fax Nr: 706-542-4959 or 706-583-0777

UGA ID#: _____

Date of Birth:

□Yes □ No □Yes □ No

Part I: Tuberculosis (TB) Screening Questionnaire

Please answer the following questions:

- 1. Have you ever had close contact with persons known or suspected to have active TB disease?
- 2. Were you born in one of the countries listed below that have a high incidence of active TB disease? (If YES, please CHECK the country, below)

 □ Afghanistan □ Algeria □ Angola □ Anguilla □ Argentina □ Armenia □ Azerbaijan □ Bangladesh 	Comoros Congo Côte d'Ivoire Dem People's Republic of Korea Dem Rep of the Congo Djibouti Dominica	□ Iraq □ Kazakhstan □ Kenya □ Kiribati □ Kuwait □ Kyrgyzstan □ Lao People's Dem Rep □ Latvia	 Nigeria Niue Northern Marina Islands Pakistan Palau Panama Papua New Guinea Paraguay Peru 	□ Tuvalu □ Uganda □ Ukraine □ Un. Rep. of Tanzania □ Uruguay □ Uzbekistan □ Vanuatu □ Venezuela (Bol. Rep.)
 Belize Benin Bhutan Bolivia (Plurinational State of) Bosnia and Herzegovina Botswana Brazil Brunei Darussalam Bulgaria Burkina Faso Burundi Cabo Verde Cambodia Cameroon Central African Republic China China, Hong Kong SAR China, Macao SAR Colombia 	 Ecuador El Salvador Equatorial Guinea Eritrea Eswatini Ethiopia Fiji French Polysnesia Gabon Gambia Georgia Ghana Greenland Guatemala Guinea Guinea-Bissau Guyana Haiti Honduras India 	□ Liberia □ Libya □ Lithuania □ Madagascar □ Malawi □ Malaysia □ Maldives □ Mali □ Malta □ Marshall Islands □ Marshall Islands □ Marshall Islands □ Marshall Islands □ Marshall Islands □ Morocco □ Micronesia □ Morocco □ Mozambique □ Myanmar □ Namibia □ Nauru □ Nepal □ Nicaragua □ Nicaragua	Qatar Republic of Korea Romania Russian Federation Rwanda Sao Tome and Principe Senegal Sierra Leone Singapore Solomon Islands South Africa South Africa South Sudan Sri Lanka Sudan Tajikistan Thailand Timor-Leste Togo Yokelau Turkisan	☐ Yemen ☐ Zambia ☐ Zimbabwe

Source: World Health Organization Global Health Observatory, Tuberculosis Incidence 2012. Countries with incidence rates of \geq 20 cases per 100,000 population. For future updates, refer to http://apps.who.int/ghodata.

3.	Have you had frequent (\geq twice/year) or prolonged (> 1 month) visits to one or more of the countries listed above with a high prevalence of TB disease? (If yes, CHECK the countries, above)	□ Yes	□ No
	**If YES to questions 2 and/or 3: Date last traveled to high risk country (month and year) **	🗆 Yes	□ No
4.	Have you been a resident and/or employee of high-risk congregate settings (e.g., correctional		
5	facilities, long-term care facilities, and homeless shelters)? Have you been a volunteer or health-care worker who served clients who are at increased risk for active	□ Yes	🛛 No
	TB disease?		
0.	Have you ever been a member of any of the following groups that may have an increased incidence of latent <i>M</i> . <i>tuberculosis</i> infection or active TB disease – medically underserved, low-income, or abusing drugs or alcohol?	□ Yes	□ No
If	the answer is YES to any of the above questions, University Health Center requires that you receive TB testing (complete Part II).		
If the answer to all of the above questions is NO, no further testing or further action is required.			

Signature of Student

Date:

(Or Signature of <u>Parent</u> if student is < 18 yrs. old)



NAME:	

UGA ID#:

Date of Birth:

PART II. CLINICAL ASSESSMENT BY HEALTHCARE PROVIDER

Clinicians should review and verify the information in Part I. Persons answering YES to any of the questions in Part I are candidates for either Mantoux tuberculin skin test (TST) or Interferon Gamma Release Assay (IGRA), unless a previous positive test has been documented.

History of a positive TB skin test or IGRA blood test? (If yes, document below)	□ Yes	🛛 No
History of BCG vaccination? (If yes, consider IGRA if possible.)	□ Yes	🛛 No
1. TB Symptom Check ¹ Does the student have signs or symptoms of active pulmonary tuberculosis disease?	□ Yes	🛛 No

*If NO, proceed to 2 and 3. If YES, check below:

- \Box Cough (especially if lasting for 3 weeks or longer) with or without sputum production
- □ Coughing up blood (hemoptysis)
- Chest pain
- □ Loss of appetite
- □ Unexplained weight loss
- Night sweats
- Gilli Fever

Proceed with additional evaluation to exclude active tuberculosis disease including tuberculin skin testing, chest x-ray (PA and lateral), and sputum evaluation as indicated.

2. Tuberculin Skin Test(TST)

(TST result should be recorded as actual millimeters (mm) of induration, transverse diameter; if no induration, write "0". The TST interpretation should be based on mm of induration as well as risk factors.)**

Date Given: / _/	Date Read://
M D Y	M D Y
Result:mm of induration	**Interpretation: positivenegative
Date Given: / / / M D Y	Date Read: / / / / _ / /
Result:mm of induration	**Interpretation: positivenegative

****Interpretation guidelines**

<u>>5 mm is positive:</u>

Recent close contacts of an individual with infectious TB

Persons with fibrotic changes on a prior chest x-ray, consistent with past TB disease

Organ transplant recipients and other immunosuppressed persons (including receiving equivalent of >15 mg/d of prednisone for >1 month.) HIV-infected persons

>10 mm is positive:

Recent arrivals to the U.S. (<5 years) from high prevalence areas or who resided in one for a significant* amount of time Injection drug users

Mycobacteriology laboratory personnel

Residents, employees, or volunteers in high-risk congregate settings

Persons with medical conditions that increase the risk of progression to TB disease including silicosis, diabetes mellitus, chronic renal failure, certain types of cancer (leukemias and lymphomas, cancers of the head, neck, or lung), gastrectomy or jejunoileal bypass and weight loss of at least 10% below ideal body weight.

>15 mm is positive:

Persons with no known risk factors for TB who, except for certain testing programs required by law or regulation, would otherwise not be tested.

1785	University Health Center Student Affairs UNIVERSITY OF GEORGIA	UNIVERSITY HEALTH CENTER University of Georgia Athens, GA 30602-1755 Phone: 706-542-1162 Fax Nr: 706-542-4959 or 706-583-0777	NAME: UGA ID#: Date of Birth:
3.	Interferon Gamma Release A	ssay (IGRA)	
	Date Obtained: / / / _ / _ /	(specify method) QFT-GIT	T-Spot other
	Result: negative posi	tive indeterminate borderlin	e(T-Spot only)
	Date Obtained:// MDY	(specify method) QFT-GIT	T-Spot other
	Result: negative posi	tive indeterminate borderlin	e(T-Spot only)
4. (• •	_/Result: normalabnormal	view is indicated in the absence of symptoms)

PART III: MANAGEMENT OF POSITIVE TST OR IGRA

All students with a positive TST or IGRA with no signs of active disease on chest x-ray should receive a recommendation to be treated for latent TB with appropriate medication. However, students in the following groups are at increased risk of progression from LTBI to TB disease and should be prioritized to begin treatment as soon as possible.

- □ Infected with HIV
- □ Recently infected with *M. tuberculosis* (within the past 2 years)
- □ History of untreated or inadequately treated TB disease, including persons with fibrotic changes on chest radiograph consistent with prior TB disease
- Receiving immunosuppressive therapy such as tumor necrosis factor-alpha (TNF) antagonists, systemic corticosteroids equivalent to/greater than 15 mg of prednisone per day, or immunosuppressive drug therapy following organ transplantation
- Diagnosed with silicosis, diabetes mellitus, chronic renal failure, leukemia, or cancer of the head, neck, or lung
- □ Have had a gastrectomy or jejunoileal bypass
- □ Weigh less than 90% of their ideal body weight
- □ Cigarette smokers and persons who abuse drugs and/or alcohol

••Populations defined locally as having an increased incidence of disease due to *M. tuberculosis*, including medically underserved, low-income populations

_____Student agrees to receive treatment

Student declines treatment at this time

Required Signature of Healthcare Provider:

Name:	Phone:
Address:	City, State, Zip Code:
Signature:	Date: